

IN THE CLAIMS:

A rewritten version of the entire set of pending claims is as follows:

1. (Unchanged) A method for extending the capabilities of a web server, comprising the steps of:

Sub B1
sending a request from a client to the web server, the request including an address for a code module needed to service the request;

if the code module is unavailable at the web server, having the web server use the address to request the code module from a publishing server;

installing the code module at the web server; and

performing the request at the web server using the installed code module.

2. (Unchanged) The method as described in Claim 1 further including the step of serving the code module from the publishing server to the web server.

3. (Unchanged) The method as described in Claim 1 wherein the address is a URL.

4. (Unchanged) The method as described in Claim 1 wherein the code module is unavailable to the web server because the web server does not support the code module.

5. (Unchanged) The method as described in Claim 1 wherein the code module is unavailable to the web server because the server cannot access the code module.

6. (Unchanged) The method as described in Claim 1 wherein the request includes a unique identifier for the code module.

7. (Unchanged) The method as described in Claim 1 wherein the code module conforms to a specific transformation API of the web server.

8. (Unchanged) The method as described in Claim 1 further including the steps of:

having the publishing server sign the code module with a key;

serving the signed code module from the publishing server to the web server; and verifying authenticity of the code module prior to the installing step.

Sub
B1
A2
9. (Amended) A method for enabling a web client to add functionality to a web server on an as-needed basis, comprising the steps of:

receiving a request from a client, the request identifying a code module required to process the request;

responsive to a determination that the code module is not available at the web server, uploading a code module from the client to the web server; and

at the web server, using the uploaded code module as needed to service a given request from the web client.

10. (Unchanged) The method as described in Claim 9 wherein the web client is a pervasive computing client.

11. (Unchanged) The method as described in Claim 10 wherein the code module translates data into a given proprietary format and serves the translated data back to the pervasive computing client.

12. (Unchanged) The method as described in Claim 9 wherein the code module conforms to a given application programming interface (API).

13. (Unchanged) A method operative at a web server in a computer network, comprising the steps of:

receiving a request from a client, the request identifying a code module and including an address for the code module;

if the code module is unavailable at the web server, using the address to request the code module from a given location in the computer network;

installing the code module at the web server; using the installed code module to process the request; and
serving a response to the request back to the client.

14. (Unchanged) The method as described in Claim 13 further including the step of authenticating the code module prior to the installing step.

15. (Unchanged) The method as described in Claim 14 wherein the given location is a publishing server.

16. (Unchanged) The method as described in Claim 15 wherein the step of authenticating includes applying a given key to information retrieved from the publishing server.

17. (Amended) A computer program product in a computer usable medium operative in a web server, comprising:

means for receiving a request from a client, the request identifying a code module and an address for the code module;

means responsive to a determination that the code module is not available at the web server for using the address to request the code module from a given location in the computer network; and

means responsive to receipt of the code module from the given location for installing the code module at the web server for use in responding to the request.

18. (Unchanged) The computer program product as described in Claim 17 further including means for authenticating the code module.

19. (Unchanged) The computer program product as described in Claim 17 further including means for executing the code module to respond to the request.

AB
20. (Amended) A computer program product in a computer usable medium operative in a web server, comprising:

Sub
BI
means for receiving a request from a client, the request identifying a code module required to process the request;

means responsive to a determination that the code module is not available at the web server for requesting the client to upload the code module; and

means responsive to receipt of the code module from the client for installing the code module at the web server for use in responding to the request.

21. (Unchanged) The compute program product as described in Claim 20 further including means for authenticating the code module.

Sub
BI
22. (Unchanged) The computer program product as described in Claim 20 further including means for executing the code module to respond to the request.

23. (Amended) A web server operative in a computer network, comprising:

AB
means for receiving a request from a client, the request identifying a code module and an address for the code module;

means responsive to a determination that the code module is not available at the web server for using the address to request the code module from a given location in the computer network;

means responsive to receipt of the code module from the given location for installing the code module at the web server for use in responding to the request; and

means for executing the code module to respond to the request.

24. (Unchanged) The web server as described in Claim 23 further including means for authenticating the code module.

25. (Unchanged) The web server as described in Claim 23 wherein the code module is written to conform to a server API.

26. (Unchanged) The web server as described in Claim 25 wherein the code module is written in Java.

27. (Unchanged) The web server as described in Claim 23 further including means for deleting a code module from the server upon a given occurrence.

28. (Unchanged) In a client-server computer network, the improvement comprising:

a web client having means for identifying a code module required to process a client request;

a publishing server supporting the code module at a given URL;

a web server, comprising:

means responsive to receipt of a request from the web client for identifying the code module and the URL for the code module;

means responsive to a determination that the code module is not available at the web server for using the URL to request the code module from the publishing server;

means responsive to receipt of the code module from the publishing server for installing the code module;

means operative during a web transaction for executing the code module to respond to the request; and

means for serving data back to the web client following processing by the code module.

29. (Unchanged) In the client-server computer network as described in Claim 28 wherein the web client is a pervasive computing client.